



Model		AC S	AC W
External dimensions (WxDxH)	mm	706x766x1495	914x766x1495
Internal dimensions (WxDxH)	mm	615x565x838	820x400x836
Volume net/gross	liter	190/245	250/325
Lighting	LED	4x vertical	4x vertical/1x horizontal
Shelf dimensions (width x depth top/bottom)	mm	610x320/385	818x390/418
Capacity	Pcs.	270 Cans (330 ml)	360 Cans (330 ml)
Temperature range	°C	+2 to +7 (3M2)	+2 to +7 (8M2)
Refrigerant type		R404A/R290	R404A/R290
Max. ambient temperature/humidity	°C/RH	25/60	24/55
Weight net/gross	kg	114/132	125/143
Loadability 20°/40°/13.6m	Pcs.	21/45/51	18/36/42



Model		AC M	AC XL
External dimensions (WxDxH)	mm	716x771x1973	1195x928x1973
Internal dimensions (WxDxH)	mm	615x565x1350	1100x700x1290
Volume net/gross	liter	324/463	720/1060
Lighting	LED	6x vertical/1x Canopy	6x vertical/ 2x horizontal/2x Canopy
Shelf dimensions (width x depth top/bottom)	mm	610x385	1094x510
Capacity	Pcs.	468/225 (330 ml Cans/ 500ml Bottles)	1224/560 (330 ml Cans/ 500ml Bottles)
Temperature range	°C	+2 to +7 (8M2)	+2 to +7 (3M2)
Refrigerant type		R404A/R290	R404A
Max. ambient temperature/humidity	°C/RH	24/55	25/60
Weight net/gross	kg	152/165	227/255
Loadability 20°/40°/13.6m	Pcs.	21/45/51	10/21/24



AHT Cooling Systems GmbH
 8786 Rottenmann · Austria
 Phone +43/(0)3614/2451-0
 Fax +43/(0)3614/2451-8
 Email office@aht.at

OHSAS 18001
SA 8000

ISO 9001
ISO 14001



AIR CURTAIN DISPLAY COOLERS



**AC SERIES
FOR PERFECT MERCHANDISE
PRESENTATION**

OPEN MARKETING REFRIGERATORS FROM AHT: THE IDEAL SALES PROMOTION AT THE POS. PERFECT FOR SECONDARY PLACEMENT.

Key benefits

- | Air curtain for optimum cooling efficiency
- | Hot gas evaporation system
- | Energy efficient
- | Low maintenance condenser
- | Cooling cassette system
- | Easy service
- | Night blind to save energy consumption (reed switch)
- | At-front product presentation without door
- | Inside light
- | Plug-in refrigeration
- | Automatic defrost and condensate evaporation
- | Shelf supports can be fixed in inclined position
- | Ecologically sound thanks to the natural refrigerant propane
- | 100 % CFC- and PFC-free
- | Sustainable technology Made in Austria
- | Cassette replacement within 15 minutes (easy service)



AC S



AC W

Temperature ranges

- | +2 °C to +7 °C

Custom Graphics



Night blind



AC S & AC W. Placed individually or in groups, they present your products effectively like no other. Your point of sale becomes a highly visible, sales-promoting platform.

AC M, AC XL. These units prove that pleasing appearance and innovative technology can meld together. Excellent visibility from three sides and a brightly lit promotion display make them true sales professionals.



AC M



AC XL



Interchangeable Cooling Cassette



Cooling cassette interchangeable within 15 min.

- Cooler does not need to be (re)moved
- No need to empty cooler