

MONTREAL XL

_Refrigerators and freezers. Plug-in installation

Perfect combination: Design & XL volume

Elegant design with largest display area. With its generously sized glass side panels and LED interior lighting, MONTREAL XL guarantees perfect product visibility. The smooth-running sliding cover and easy removal of the goods on display impress customers and boost sales.



VISUAL MERCHANDISING

Thanks to vertical glass panels on 3 sides of the end cabinet, MONTREAL XL offers best-possible visibility of the goods on display. The smooth-running push-pull lid ensures easy removal of merchandise. Thanks to the height- and width-adjustable product racks, the LED lights and the protective bumper strip with integral price display, products can be presented perfectly. Another practical feature is that it can be used by two people simultaneously.



HIGH ENERGY SAVINGS

Save even more compared to conventional multi-unit systems. The electronically controlled, variable-speed compressor (VS) reduces power consumption by 25%. In addition, the new energy-saving fan saves 0.5 kWh every day.



ENVIRONMENT AND CLIMATE

MONTREAL XL units are completely CFC- and HFC-free and use the ecologically harmless and natural refrigerant propane (R290). This makes them particularly environmentally friendly. R290 has the lowest global warming potential available on the market.

INTELLIGENT INSTALLATION

Ready-to-connect installation means that MONTREAL XL units can be used immediately. In addition, the outer-skin condenser provides for maintenance-free refrigeration. MONTRE-AL XL appliances are available as in-line and end cabinets. They can be easily combined with overhanging KINLEY XL or KINLEY X5 units.



SEMI-AUTOMATIC DEFROSTING

Semi-automatic defrosting is possible in all temperature ranges. The constant temperature and high-quality plastic containers mean that the shelf life and hygiene of all products are always ensured. The plastic interior drip tray guarantees easy cleaning.



COMPATIBLE WITH AMS

Our Active Monitoring System (AMS) allows us to detect problems before you notice them. As an essential add-on to all AHT products, the AMS makes it much easier for you to manage and monitor the AHT cooling systems in your stores.

INDIVIDUAL BRANDING

AHT cooling units are constructed individually: Using our template, you create the design, then we apply it directly during production.

L TEMPERATURE RANGES

Cooling Freezing Mincemeat/meat chilling +3°C to +15°C ¹ -18°C to -23°C 0°C to +2°C

¹ Fixed preset that can be changed by a service technician

USPs

XL VOLUME

MONTREAL XL offers 20% more interior volume than our MONTREAL Slim model. In practical terms, this means that three frozen pizzas fit one behind the other in our refrigerator and freezer.

DESIGN

The most attractive design on the market. Linear, contemporary design with the largest display area of all AHT refrigerators and freezers. MONTREAL XL can be integrated seamlessly into your store concept. The colours and surfaces are adapted individually to your requirements.

100.1

70.00 - 309.161

Sea ann sann

PRODUCT ACCESSIBILITY

Thanks to the slide and push lid variants for all MONTREAL units, the best possible access to goods is guaranteed.





_optionally with end cabinet on both sides

_extendible with commercially available shelf attachments



ACCESSORIES

- _ Price display for end cabinet (suitable for high cover)
- _High cover (between the back-to-back units)
- _Low cover (between the back-to-back units)
- _Side cover (closes off the island at the sides)
- _Water protection strip (colour change on customer request)

- _ Vario grid system (rack inserts & wire dividers) & wire basket inserts
- _Scanner strips
- _Impact protection
- Colour and styling options tailored to customer requirements (housing, protective bumper strip, plastic parts in 2 standard colours)
- Compatible with the Active Monitoring System (AMS)

MONTREAL XL

175 / 210 / 250



MONTREAL XL

EC





DIMENSIONS

MONTREAL XL				175		210		EC		250
Length, exterior / interior		mm		1,752 / 1,623		2,102 / 1,973		2,149 / 1,973		2,502 / 2,373
Depth, exterior / interior		mm		1,016 / 863		1,016 / 863		1,015 / 863		1,016 / 863
Height, front / rear		mm		846 / 910		846 / 910		847 / 910		846 / 910
Stacking height, front / rear		mm		470 / 530		470 / 530		450 / 450		470 / 530



AHT Cooling Systems GmbH

Werksgasse 57 8786 Rottenmann | Austria p. +43 3614 24 51-000 sales@aht.at www.aht.at