

# MIAMI

\_Refrigerators and freezers. Plug-in installation

# Reliability, efficiency and selling space.

MIAMI stands for maximum energy efficiency and the very best innovations. A refrigerator/freezer of the "next generation".



#### LOW COSTS

The low investment outlay and operating costs speak for themselves. In addition, the outer-skin condenser on MIAMI provides for completely maintenance-free refrigeration. Ready-to-connect installation means MIAMI can be used immediately.

#### VISUAL MERCHANDISING

With its more deeply curved lid, MIAMI offers excellent visibility of the goods on display. Thanks to the stylish, curved, 3D glass side panel on the end cabinet, the height- and width-adjustable product racks and the LED interior lighting, products can be presented perfectly. Another practical feature is that the shapely, integrated end cabinet is also extra-deep, thereby providing maximum space for product presentation. Furthermore, the low front edge ensures optimum product accessibility. MIAMI has a smooth-running push-pull lid which ensures easy removal of merchandise.



#### HIGH ENERGY SAVINGS

Save even more compared to conventional multi-unit systems, thanks to the sophisticated technology and design with AHT e-conomize. In addition, the electronically controlled, variable-speed compressor (VS) ensures maximum energy efficiency.



#### ENVIRONMENT AND CLIMATE

MIAMI units are completely CFC- and HFCfree and use the ecologically harmless and natural refrigerant propane (R290). R290 has the lowest GWP on the market. This makes them particularly environmentally friendly.



#### AUTOMATIC DEFROSTING

Automatic defrosting is possible in all temperature ranges. The constant temperature and highquality plastic containers mean that the shelf life and hygiene of all products are always ensured. The plastic interior drip tray guarantees easy cleaning.



#### COMPATIBLE WITH AMS

Our Active Monitoring System (AMS) allows us to detect problems before you notice them. As an essential add-on to all AHT products, the AMS makes it much easier for you to manage and monitor the AHT cooling systems in your stores.

#### INDIVIDUAL BRANDING

AHT cooling units are constructed individually: Using our template, you create the design, then we apply it directly during production.


## L TEMPERATURE RANGES


Cooling Freezing Mincemeat/meat chilling +37.4F to +59F<sup>1</sup> 0F to -10F +32F to +34F


# Advantage

### PERFECT PRODUCT PRESENTATION


The large, deeply curved, forward-facing, panoramic sliding glass covers optimise the merchandise presentation area and visibility of the unit interior. It also impresses with its low height and easy removal of the goods on display.








### CONFIGURATIONS



\_ extendible with commercially available shelf attachments




### ACCESSORIES

- Low cover (between the back-to-back units)
- $\_$  Side cover (closes off the
- island at the sides)
- \_ Water protection strip (color change on customer request)
- Vario grid system (rack inserts & wire dividers) & wire basket inserts
  Compatible with the Active Monitoring System (AMS)

#### ΜΙΑΜΙ

185 / 210 / 250



# **DIMENSIONS**

MIAMI			210		250		185
Length, exterior / interior		inches	82.75/77.67		98.50 / 23.42		72.83 / 67.83
Depth, exterior / interior		inches	33.62 / 28.46		33.62 / 28.46		39.13 / 33.97
Height, front / rear		inches	28.62/32.79		28.62/32.79		28.42/32.83
Stacking height, front / rear		inches	20.07/20.07		20.07/20.07		12.2 / 18.89



AHT Cooling Systems US, Inc.

7058 Weber Blvd Ladson, SC 29456 | T: +1 843 767 6855 sales@us.aht.at us.aht.at